

SINAMICS G130 Drive Converter Chassis Units SINAMICS G150 Drive Converter Cabinet Units

Amendment December 2011 to Catalog D 11 · 2011



SINAMICS Drives

Answers for industry.

SIEMENS

SINAMICS G130 Drive Converter Chassis Units SINAMICS G150 Drive Converter Cabinet Units

Amendment December 2011 to Catalog D 11 · 2011

Dear Customer,

Please note the following information concerning Catalog D 11 issued in April 2011 (order no. E86060-K5511-A101-A5-7600):

The statements in chapter 3 on the SINAMICS G150 drive converter cabinet units concerning approval in accordance with cULus / cURus refer exclusively to the fitted Power Modules and not to the cabinet unit as an overall system.

Please also note the following corrections, and attach them to the printed catalog.

The printed Catalog D 11 with order no. E86060-K5511-A101-A5-7600 is, with immediate effect, valid only in conjunction with this amendment!

The incorrect information has already been corrected in the PDF version of the catalog, which you will find in our Info & Download Center under the following link.

www.automation.siemens.com/mcms/infocenter/content/de/Seiten/order_form.aspx?nodeKey=key_566001

The products listed in this catalog are also components of the general catalog CA 01 on DVD and appear in the Industry Mall. Please contact your local Siemens office for additional information.

You can access our interactive catalog and online ordering system on the Internet at:

www.siemens.com/industrymall/en

Up-to-date information about SINAMICS G130 and SINAMICS G150 is available on the Internet at:

www.siemens.com/sinamics

Best regards,



Franz-Peter Petz
General Manager Marketing & Sales
Siemens AG, Industry Sector
Drive Technologies Division, Large Drives

SINAMICS Drives

Answers for industry.

SIEMENS

Please note the corrections below for the English version of Catalog D 11 · 2011.

Page	Error	Correction																																																																																																
2/9	Technical data The most important directives and standards are listed below. These are used as basis for the SINAMICS drive system and they must be carefully observed to achieve an EMC-compliant configuration that is safe both functionally and in operation.	Technical data The most important directives and standards are listed below. These are used as basis for the SINAMICS G130 drive converter chassis units and they must be carefully observed to achieve an EMC-compliant configuration that is safe both functionally and in operation.																																																																																																
2/10	Technical data (continued) Electrical data Output frequency 0 ... 300 Hz	Technical data (continued) Electrical data Output frequency 0 ... 650 Hz																																																																																																
2/48	Selection and ordering data <table border="1"> <thead> <tr> <th>Suitable for Power Module</th> <th>Type rating of the Power Module at 400 V, 500 V or 690 V</th> <th>dv/dt filter compact plus VPL</th> </tr> <tr> <td></td> <td>kW</td> <td>Order No.</td> </tr> </thead> <tbody> <tr> <td colspan="3">660 ... 690 V 3 AC</td> </tr> <tr> <td>6SL3310-1GH28-5AA3</td> <td>75</td> <td>6SL3000-2DG31-0EA0</td> </tr> <tr> <td>6SL3310-1GH31-0AA3</td> <td>90</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-8AA3</td> <td>110</td> <td>6SL3000-2DG31-5EA0</td> </tr> <tr> <td>6SL3310-1GH32-2AA3</td> <td>132</td> <td></td> </tr> <tr> <td>6SL3310-1GH32-6AA3</td> <td>160</td> <td>6SL3000-2DG32-2EA0</td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>200</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>250</td> <td>6SL3000-2DG33-3EA0</td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>315</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>400</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-7AA3</td> <td>450</td> <td>6SL3000-2DG34-1EA0</td> </tr> <tr> <td>6SL3310-1GH35-8AA3</td> <td>560</td> <td></td> </tr> <tr> <td>6SL3310-1GH37-4AA3</td> <td>710</td> <td>6SL3000-2DG35-8EA0</td> </tr> <tr> <td>6SL3310-1GH38-1AA3</td> <td>800</td> <td></td> </tr> </tbody> </table>	Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V	dv/dt filter compact plus VPL		kW	Order No.	660 ... 690 V 3 AC			6SL3310-1GH28-5AA3	75	6SL3000-2DG31-0EA0	6SL3310-1GH31-0AA3	90		6SL3310-1GH31- 8AA3	110	6SL3000-2DG31-5EA0	6SL3310-1GH 32-2AA3	132		6SL3310-1GH 32-6AA3	160	6SL3000-2DG32-2EA0	6SL3310-1GH 33-3AA3	200		6SL3310-1GH 34-1AA3	250	6SL3000-2DG33-3EA0	6SL3310-1GH33-3AA3	315		6SL3310-1GH34-1AA3	400		6SL3310-1GH34-7AA3	450	6SL3000-2DG34-1EA0	6SL3310-1GH35-8AA3	560		6SL3310-1GH37-4AA3	710	6SL3000-2DG35-8EA0	6SL3310-1GH38-1AA3	800		Selection and ordering data <table border="1"> <thead> <tr> <th>Suitable for Power Module</th> <th>Type rating of the Power Module at 400 V, 500 V or 690 V</th> <th>dv/dt filter compact plus VPL</th> </tr> <tr> <td></td> <td>kW</td> <td>Order No.</td> </tr> </thead> <tbody> <tr> <td colspan="3">660 ... 690 V 3 AC</td> </tr> <tr> <td>6SL3310-1GH28-5AA3</td> <td>75</td> <td>6SL3000-2DG31-0EA0</td> </tr> <tr> <td>6SL3310-1GH31-0AA3</td> <td>90</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-2AA3</td> <td>110</td> <td>6SL3000-2DG31-5EA0</td> </tr> <tr> <td>6SL3310-1GH31-5AA3</td> <td>132</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-8AA3</td> <td>160</td> <td>6SL3000-2DG32-2EA0</td> </tr> <tr> <td>6SL3310-1GH32-2AA3</td> <td>200</td> <td></td> </tr> <tr> <td>6SL3310-1GH32-6AA3</td> <td>250</td> <td>6SL3000-2DG33-3EA0</td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>315</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>400</td> <td>6SL3000-2DG34-1EA0</td> </tr> <tr> <td>6SL3310-1GH34-7AA3</td> <td>450</td> <td>6SL3000-2DG35-8EA0</td> </tr> <tr> <td>6SL3310-1GH35-8AA3</td> <td>560</td> <td></td> </tr> <tr> <td>6SL3310-1GH37-4AA3</td> <td>710</td> <td>6SL3000-2DG38-1EA0</td> </tr> <tr> <td>6SL3310-1GH38-1AA3</td> <td>800</td> <td></td> </tr> </tbody> </table>	Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V	dv/dt filter compact plus VPL		kW	Order No.	660 ... 690 V 3 AC			6SL3310-1GH28-5AA3	75	6SL3000-2DG31-0EA0	6SL3310-1GH31-0AA3	90		6SL3310-1GH31- 2AA3	110	6SL3000-2DG31-5EA0	6SL3310-1GH 31-5AA3	132		6SL3310-1GH 31-8AA3	160	6SL3000-2DG32-2EA0	6SL3310-1GH 32-2AA3	200		6SL3310-1GH 32-6AA3	250	6SL3000-2DG33-3EA0	6SL3310-1GH33-3AA3	315		6SL3310-1GH34-1AA3	400	6SL3000-2DG34-1EA0	6SL3310-1GH34-7AA3	450	6SL3000-2DG35-8EA0	6SL3310-1GH35-8AA3	560		6SL3310-1GH37-4AA3	710	6SL3000-2DG38-1EA0	6SL3310-1GH38-1AA3	800	
Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V	dv/dt filter compact plus VPL																																																																																																
	kW	Order No.																																																																																																
660 ... 690 V 3 AC																																																																																																		
6SL3310-1GH28-5AA3	75	6SL3000-2DG31-0EA0																																																																																																
6SL3310-1GH31-0AA3	90																																																																																																	
6SL3310-1GH31- 8AA3	110	6SL3000-2DG31-5EA0																																																																																																
6SL3310-1GH 32-2AA3	132																																																																																																	
6SL3310-1GH 32-6AA3	160	6SL3000-2DG32-2EA0																																																																																																
6SL3310-1GH 33-3AA3	200																																																																																																	
6SL3310-1GH 34-1AA3	250	6SL3000-2DG33-3EA0																																																																																																
6SL3310-1GH33-3AA3	315																																																																																																	
6SL3310-1GH34-1AA3	400																																																																																																	
6SL3310-1GH34-7AA3	450	6SL3000-2DG34-1EA0																																																																																																
6SL3310-1GH35-8AA3	560																																																																																																	
6SL3310-1GH37-4AA3	710	6SL3000-2DG35-8EA0																																																																																																
6SL3310-1GH38-1AA3	800																																																																																																	
Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V	dv/dt filter compact plus VPL																																																																																																
	kW	Order No.																																																																																																
660 ... 690 V 3 AC																																																																																																		
6SL3310-1GH28-5AA3	75	6SL3000-2DG31-0EA0																																																																																																
6SL3310-1GH31-0AA3	90																																																																																																	
6SL3310-1GH31- 2AA3	110	6SL3000-2DG31-5EA0																																																																																																
6SL3310-1GH 31-5AA3	132																																																																																																	
6SL3310-1GH 31-8AA3	160	6SL3000-2DG32-2EA0																																																																																																
6SL3310-1GH 32-2AA3	200																																																																																																	
6SL3310-1GH 32-6AA3	250	6SL3000-2DG33-3EA0																																																																																																
6SL3310-1GH33-3AA3	315																																																																																																	
6SL3310-1GH34-1AA3	400	6SL3000-2DG34-1EA0																																																																																																
6SL3310-1GH34-7AA3	450	6SL3000-2DG35-8EA0																																																																																																
6SL3310-1GH35-8AA3	560																																																																																																	
6SL3310-1GH37-4AA3	710	6SL3000-2DG38-1EA0																																																																																																
6SL3310-1GH38-1AA3	800																																																																																																	
2/51	Technical data dv/dt filter compact plus VPL 6SL3000-2DG41-3EA0 (last column)	Technical data dv/dt filter compact plus VPL (Delete complete column, 6SL3000-2DG41-3EA0 not for SINAMICS G130 Power Modules)																																																																																																

SINAMICS G130

Drive converter chassis units

Corrections

Page	Error	Correction								
2/54	<p>Selection and ordering data</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD </td> <td>6SL3040-1GA00-1AA0</td> </tr> </tbody> </table>	Description	Order No.	Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD 	6SL3040-1GA00-1AA0	<p>Selection and ordering data</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.) </td> <td>6SL3040-1GA00-1AA0</td> </tr> </tbody> </table>	Description	Order No.	Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.)	6SL3040-1GA00-1AA0
Description	Order No.									
Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD 	6SL3040-1GA00-1AA0									
Description	Order No.									
Control Unit Kit PROFIBUS DP consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 DP • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.)	6SL3040-1GA00-1AA0									
2/57	<p>Selection and ordering data</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD </td> <td>6SL3040-1GA01-1AA0</td> </tr> </tbody> </table>	Description	Order No.	Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD 	6SL3040-1GA01-1AA0	<p>Selection and ordering data</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.) </td> <td>6SL3040-1GA01-1AA0</td> </tr> </tbody> </table>	Description	Order No.	Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.)	6SL3040-1GA01-1AA0
Description	Order No.									
Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD 	6SL3040-1GA01-1AA0									
Description	Order No.									
Control Unit Kit PROFIBUS PN consisting of: <ul style="list-style-type: none"> • Control Unit CU320-2 PN • CompactFlash card with the latest firmware • DRIVE-CLiQ cable • 24 V cable to the power supply • Equipment documentation on CD • STARTER commissioning tool on DVD (The named cables are included in the scope of delivery of the Power Modules.)	6SL3040-1GA01-1AA0									

Page	Error	Correction																
3/11	<p>Technical data</p> <p>The most important directives and standards are listed below. These are used as basis for the SINAMICS drive system and they must be carefully observed to achieve an EMC-compliant configuration that is safe both functionally and in operation.</p> <table border="1"> <thead> <tr> <th colspan="2">North American standards</th> </tr> </thead> <tbody> <tr> <td>UL508A</td> <td>Industrial Control Panels</td> </tr> <tr> <td>UL508C</td> <td>Power Conversion Equipment</td> </tr> <tr> <td>CSA C22.2 No. 14</td> <td>Industrial Control Equipment</td> </tr> </tbody> </table> <p>Approvals</p> <p>cULus, cURus Testing by UL (Underwriters Laboratories, http://www.ul.com) according to UL and CSA standards</p> <p>Test symbol: (→ Appendix, Approvals)</p>	North American standards		UL508A	Industrial Control Panels	UL508C	Power Conversion Equipment	CSA C22.2 No. 14	Industrial Control Equipment	<p>Technical data</p> <p>The most important directives and standards are listed below. These are used as basis for the SINAMICS G150 drive converter cabinet units and they must be carefully observed to achieve an EMC-compliant configuration that is safe both functionally and in operation.</p> <table border="1"> <thead> <tr> <th colspan="2">North American standards</th> </tr> </thead> <tbody> <tr> <td>UL508A</td> <td>Industrial Control Panels</td> </tr> <tr> <td>UL508C</td> <td>Power Conversion Equipment</td> </tr> <tr> <td>CSA C22.2 No. 14</td> <td>Industrial Control Equipment</td> </tr> </tbody> </table> <p>Approvals</p> <p>eULus, eURus Testing by UL (Underwriters Laboratories, http://www.ul.com) according to UL and CSA standards</p> <p>Test symbol: (→ Appendix, Approvals) (Delete the marked sections.)</p>	North American standards		UL508A	Industrial Control Panels	UL508C	Power Conversion Equipment	CSA C22.2 No. 14	Industrial Control Equipment
North American standards																		
UL508A	Industrial Control Panels																	
UL508C	Power Conversion Equipment																	
CSA C22.2 No. 14	Industrial Control Equipment																	
North American standards																		
UL508A	Industrial Control Panels																	
UL508C	Power Conversion Equipment																	
CSA C22.2 No. 14	Industrial Control Equipment																	
3/12	<p>Technical data (continued)</p> <table border="1"> <thead> <tr> <th colspan="2">Electrical data</th> </tr> </thead> <tbody> <tr> <td>Output frequency</td> <td>0 ... 300 Hz</td> </tr> </tbody> </table>	Electrical data		Output frequency	0 ... 300 Hz	<p>Technical data (continued)</p> <table border="1"> <thead> <tr> <th colspan="2">Electrical data</th> </tr> </thead> <tbody> <tr> <td>Output frequency</td> <td>0 ... 650 Hz</td> </tr> </tbody> </table>	Electrical data		Output frequency	0 ... 650 Hz								
Electrical data																		
Output frequency	0 ... 300 Hz																	
Electrical data																		
Output frequency	0 ... 650 Hz																	
3/12	<p>Technical data (continued)</p> <table border="1"> <thead> <tr> <th colspan="2">Compliance with standards</th> </tr> </thead> <tbody> <tr> <td>Approvals</td> <td>cULus</td> </tr> </tbody> </table>	Compliance with standards		Approvals	cULus	<p>Technical data (continued)</p> <table border="1"> <thead> <tr> <th colspan="2">Compliance with standards</th> </tr> </thead> <tbody> <tr> <td>Approvals</td> <td>eULus</td> </tr> </tbody> </table> <p>(Delete the marked section.)</p>	Compliance with standards		Approvals	eULus								
Compliance with standards																		
Approvals	cULus																	
Compliance with standards																		
Approvals	eULus																	

SINAMICS G150

Drive converter cabinet units

Corrections

Page **Error****Correction****3/31 Options** (continued)Width and weight of the converter cabinet units
SINAMICS G150 Clean Power

Order number Z = +L01	Type rating kW	Width mm	Weight kg
380 ... 480 V 3 AC			
...
6SL3710-1GE41-1AA3-Z	630	3600	2580
6SL3710-1GE41-4AA3-Z	710	3600	2670
6SL3710-1GE41-6AA3-Z	900	3600	3090
500 ... 600 V 3 AC			
...
6SL3710-1GF38-6AA3-Z	630	3600	2660
6SL3710-1GF41-1AA3-Z	710	3600	2660
6SL3710-1GF41-4AA3-Z	1000	4400	3980
660 ... 690 V 3 AC			
...
6SL3710-1GH41-1AA3-Z	1000	3600	2660
6SL3710-1GH41-4AA3-Z	1350	4400	3980
6SL3710-1GH41-5AA3-Z	1500	4400	4060

Options (continued)Width and weight of the converter cabinet units
SINAMICS G150 Clean Power

Order number Z = +L01	Type rating kW	Width mm	Weight kg
380 ... 480 V 3 AC			
...
6SL3710-2GE41-1AA3-Z	630	3600	2580
6SL3710-2GE41-4AA3-Z	710	3600	2670
6SL3710-2GE41-6AA3-Z	900	3600	3090
500 ... 600 V 3 AC			
...
6SL3710-2GF38-6AA3-Z	630	3600	2660
6SL3710-2GF41-1AA3-Z	710	3600	2660
6SL3710-2GF41-4AA3-Z	1000	4400	3980
660 ... 690 V 3 AC			
...
6SL3710-2GH41-1AA3-Z	1000	3600	2660
6SL3710-2GH41-4AA3-Z	1350	4400	3980
6SL3710-2GH41-5AA3-Z	1500	4400	4060

1. General Provisions

By using this catalog you can acquire hardware and software products described therein from Siemens AG subject to the following Terms and Conditions of Sale and Delivery (hereinafter referred to as "T&C"). Please note! The scope, the quality and the conditions for supplies and services, including software products, by any Siemens entity having a registered office outside of Germany, shall be subject exclusively to the General Terms and Conditions of the respective Siemens entity. The following T&C apply exclusively for orders placed with Siemens Aktiengesellschaft, Germany.

1.1 For customers with a seat or registered office in Germany

For customers with a seat or registered office in Germany the following applies subordinate to T&C

- the "General Terms of Payment"¹⁾ and
- for software products the "General License Conditions for Software Products for Automation and Drives for Customers with a Seat or registered Office in Germany"¹⁾ and
- for other supplies and/or services the "General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry"¹⁾.

1.2 For customers with a seat or registered office outside of Germany

For customers with a seat or registered office outside Germany the following applies subordinate to T&C

- the "General Terms of Payment"¹⁾ and
- for software products the "General License Conditions for Software Products for Automation and Drives for Customers with a Seat or registered Office outside of Germany"¹⁾ and
- for other supplies and/or services the "General Conditions for Supplies of Siemens, Automation and Drives for Customers with a Seat or registered Office outside of Germany"¹⁾.

2. Prices

The prices are in € (Euro) ex works, exclusive packaging.

The sales tax (value added tax) is not included in the prices.

It shall be debited separately at the respective rate according to the applicable legal regulations.

Prices are subject to change without prior notice. We will debit the prices valid at the time of delivery.

Surcharges will be added to the prices of products that contain silver, copper, aluminium, lead and/or gold, if the respective basic official prices for these metals are exceeded. These surcharges will be determined based on the official price and the metal factor of the respective product.

The surcharge will be calculated on the basis of the official price on the day prior to receipt of the order or prior to the release order.

The metal factor determines the official price as of which the metal surcharges are charged and the calculation method used. The metal factor, provided it is relevant, is included with the price information of the respective products. An exact explanation of the metal factor can be downloaded at:

www.siemens.com/automation/salesmaterial-as/catalog/en/terms_of_trade_en.pdf

3. Additional Terms and Conditions

The dimensions are in mm. In Germany, according to the German law on units in measuring technology, data in inches only apply to deviAppendixces for export.

Illustrations are not binding.

Insofar as there are no remarks on the corresponding pages, – especially with regard to data, dimensions and weights given – these are subject to change without prior notice.

4. Export regulations

We shall not be obligated to fulfill this agreement if such fulfillment is prevented by any impediments arising out of national or international foreign trade or customs requirements or any embargoes or other sanctions.

Export of goods listed in this catalog may be subject to license. We shall indicate in the delivery details whether licenses are required under German, European and US export lists. Goods labeled with "AL" not equal to "N" are subject to European or German export authorization when being exported out of the EU. Goods labeled with "ECCN" not equal to "N" are subject to US reexport authorization.

The export label is made available with the information of the respective goods on Industry Mall, our online-catalog-system, additionally. The deciding factors are the export label "AL" or "ECCN" indicated on order confirmations, delivery notes and invoices.

Even without a label, or with label "AL:N" or "ECCN:N", authorization may be required due to the final whereabouts and purpose for which the goods are to be used.

If you transfer goods (hardware and/or software and/or technology as well as corresponding documentation, regardless of the mode of provision) delivered by us or works and services (including all kinds of technical support) performed by us to a third party worldwide, you shall comply with all applicable national and international (re-) export control regulations.

If required to conduct export control checks, you, upon request by us, shall promptly provide us with all information pertaining to particular end customer, destination and intended use of goods, works and services provided by us, as well as any export control restrictions existing.

Errors excepted and subject to change without prior notice.

1) The text of the Comprehensive Terms and Conditions of Sale and Delivery can be downloaded at:
www.siemens.com/automation/salesmaterial-as/catalog/en/terms_of_trade_en.pdf

Siemens AG
Industry Sector
Drive Technologies Division
Postfach 47 43
90025 NÜRNBERG
GERMANY

Subject to change without prior notice
Order No. E86060-E5511-A101-A1-7600
MP.R2.LD.D213.00.2.02 / Dispo 18402
E 1211 10.0 HO 8 En
Printed in Germany
© Siemens AG 2011

www.siemens.com/sinamics

The information provided in this catalog contains descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. Availability and technical specifications are subject to change without notice.

All product designations may be trademarks or product names of Siemens AG or supplier companies whose use by third parties for their own purposes could violate the rights of the owners.